

In accordance with SAE Aerospace Standard AS7003, to the revision in effect at the time of the audit, this certificate is granted and awarded by the authority of the Nadcap Management Council to:

### Sermatech Korea Ltd

28 Sungju-Dong Changwon-City Kyungnam, 641717 South Korea

This certificate demonstrates conformance and recognition of accreditation for specific services, as listed in www.eAuditNet.com on the Qualified Manufacturers List (QML), to the revision in effect at the time of the audit for:

### Coatings

Certificate Number: 5059151267 Expiration Date: 31 July 2016

Joseph G. Pinto

Vice President and Chief Operating Officer



#### SCOPE OF ACCREDITATION

#### **Coatings**

#### Sermatech Korea Ltd

28 Sungju-Dong Changwon-City Kyungnam, 641717 South Korea

This certificate expiration is updated based on periodic audits. The current expiration date and scope of accreditation are listed at: www.eAuditNet.com - Online QML (Qualified Manufacturer Listing).

In recognition of the successful completion of the PRI evaluation process, accreditation is granted to this facility to perform the following:

# AC7108/1 Rev B - Nadcap Audit Criteria for Painting and Dry Film Lubricant Coatings (Used only for dry film lubrication and ceramic/metallic corrosion protection coatings (e.g. SermeTel®) when performed with AC7109/1, /2 or /3

Dry Film Lubricants Coatings

#### AC7109 Rev D - Nadcap Audit Criteria for Coatings

#### AC7109/1 Rev C - Nadcap Audit Criteria for Thermal Spray

Electric Arc Wire Spray
High Velocity Oxy Fuel (HVOF) / High Velocity Air Fuel (HVAF)
Oxy/Fuel Thermal Spray
Plasma Thermal Spray

### AC7109/3 Rev D - Nadcap Audit Criteria for Diffusion Coating Processes (to be used on audits before 14 September, 2014)

Pack Process – Above Pack

Pack Process - In Pack

## AC7109/5 Rev E - Nadcap Audit Criteria for Coating Evaluations (Laboratory) (Req'd for all Coatings audits - except suppliers using Nadcap approved AC7109/5 labs)

Bond Strength - Bend

Bond Strength – Lap Shear

Bond Strength - Tensile

Erosion – Ambient

t-frm-17 17-Jun-10

Hardness – Hoffman Scratch
Hardness – Rockwell
Metallography/Microstructure
Microindentation Hardness – Vickers
Oxidation
Sample Heat Treatment– Oxidation Test Performed Externally
Thickness – Metallographic

#### AC7109/6 Rev C - Nadcap Audit Criteria for Plating of Coated Parts

Platinum

t-frm-17 17-Jun-10